Sanitrad Copy

		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		· · · · · · · · · · · · · · · · · · ·			
YLO ENTERD	OMETIME AT ADDOCTOR	ION A CIPNOTA	Form Approved. O.				Expires 10-31-96
U.S. ENVIR	ONMENTAL PROTECT	ION AGENCY		ENCY	USE	ONLY	
1.101111	8488 1446 1457 8644 8644 8644 8644		of receipt		1	چې مده لين	
^					1	MIJ.	#1KE()
w.cd/	5 3 1 0 0 0 0 0 0	7 8 / S			1		i calc
SEP!					n	ones .	#M 6:03
					U	JUEL -L	# AM 6: 0:
When	DOCUMENT CONTROL OFF	ICED	mpany Sanit	ized			,
completed	OFFICE OF POLLUTION PRE	EVENTION	Jiliparty California				
send this	AND TOXIC SUBSTANCES,						
form to	U.S. E.P.A. 401 M STREET, S' WASHINGTON, D.C. 20460	W					
Enter the total number of pages	17	· · · · · · · · · · · · · · · · · · ·	53100000	70 E	PA case	number	
in the Premanufacture Notice	CONTED AT INCO		531000000		<u>1</u>	<u>ų-78, </u>	
	GENERAL INST			I S	0 9		A 2
 You must provide all inform not have actual data. 	nation requested in this form to the ex	ktent that it is known to	or reasonably ascertainable l	by you. M	lake reaso	onable estimates	if you do
 Before you complete this fo 	orm, you should read the "Instructions			uctions M	lanual is a	vailable from tl	ne Toxic
	SCA) Information Service by calling 2 ted for this notice (40 CFR 700.45), in			tion numb	er vou ha	ve generated. R	?emember
your user fee ID number mu	ast also appear on your corresponding						,
360399M, Pittsburgh, PA 1	5251-6399, Attn. TSCA User fee.						
Part I — GENERAL INFORMATION	i .	TES	T DATA AND OTHER DAT	A			
You must provide the currently correct	Chemical Abstracts (CA) Name of the	new Vou	are required to submit all tes	t data in v	OUE PASSE	ssion or control	and to provide
chemical substance, even if you claim	the identity as confidential. You may a	uthorize a de	scription of all other data kno				
	ntity information for you, but your subm t begin until EPA receives this informat	.: A	are related to the health and				
letter in support of your submission she	ould reference your TS user fee identifie	cation subs	essing, distribution in comme tance. Standard literature cita				
	and two copies of this notice including a fidential, a single sanitized copy must al	all test data.	ntific literature. Complete tes	t data (wr	itten in Er	nglish), not sum	maries of data,
submitted.	,	<u>mus</u>	t be submitted if they do not a tify whether test data is on the				
		com	position of the tested material	should be	e characte	rized. Followir	ng are
Part II — HUMAN EXPOSURE AND	ENVIRONMENTAL RELEASE		nples of test data and other da irements of §720.50 of the Pr				
	ssing, or use operations to be described	700				()	
sections A and B of this notice, reprodu Part III — LIST OF ATTACHMENTS		Test	Data (Check Below any inc	luded in th	is notice)		
			Environmental fate data		,	Othersdate	П у
each continuation sheet with the corres	enough space to answer a question fully ponding section heading. In Part III, lis	t these			Yes •	Other data	☐ Yes
attachments, any test data or other data notice.	and any optional information included	in the •]	Health effects data	_ ,	Yes	Risk assessmen	nts
notice.		•]	Environmental effects data	□ 7	Yes	Structure/activ	ity relationships
		• 1	Physical/Chemical Properties*	⊠ Y	Yes	Test data not ir	n the possession
OPTIONAL INFORMATION			,			or control of th	
You may include any information that	you want EPA to consider in evaluating	the new *	A physical and chemical propert	ies worksh	neet is loca	ted on the last pa	age of this form.
	ace has been provided for you to describ rmation you may have regarding the ne		E OF NOTICE	(Check	Only One	, ;	
substance.	ination you may mave regarding the ne					, 	
So-called "binding" boxes are included	throughout this form for you to indicat	е уошт	PMN (Premanufacture	Notice)			
willingness to be bound to certain state	ments you make in this section, such as	use,	DETERMENTATE DM	NI (aubasitt			and dust DMAN
	ent This option is intended to reduce nent of consent orders or Significant Ne		INTERMEDIATE PM	N (Submiti	tea in sequ	ience with final p	roduct PMN)
•	n applications (such as TMEA, LVE, LC such notification is binding on the subm	, , ,	SNUN (Significant Ne	w Use Not	tice)		
	plication, checking a binding box in this						
does not by itself prohibit the submitter chemical identity) reported in the form.	from later deviating from the informati	ion (except	TMEA (Test Marketin	g Exemption	on Applica	ation)	
one man dendry) reported in the term.		\bowtie	LVE (Low Volume Ex	emption) (@ 40 CFR	723 50(e)(1)	
CONFIDENTIALITY CLAIMS			2.2 (20w Forume Da	(Carpaion)	- TO CAR	. 25.50(0)(1)	
	notice on confidential. To accord a 1.1	n on the	LOREX (Low Release	/Low Expo	osure Exen	nption) @ 40 CF	R 723.50(c)(2)
form, mark (X) the confidential box nex				г	¬	on mu	
	tachment, circle or bracket the information in the notices as confidential, y		LVE Modification	L	Lo	OREX Modificat	tion
also provide a sanitized version of the n	notice, (including attachments). For add	litional IS T	HIS A CONSOLIDATED PMN	r? [7 Y	es	
instructions on claiming information as	confidential, read the Instructions Man	ual.		_			
\bowtie			of chemicals Prenotice Communication # req	uired, ente	r# on pag	e 3)	

Public reporting burden for this collection of information is estimated to average 110 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M. St., S.W., Washington, D.C. 20460; and to the Office of Management and Budget, Paperwork Reduction Act (2070-0012), Washington, D.C. 20503.

CERTIFICATION

I certify that to the best of my knowledge and belief:

- The company named in Part I, section A, subsection 1a of this notice form intends to manufacture or import for a
 commercial purpose, other than in small quantities solely for research and development, the substance identified in Part I,
 Section B.
- 2. All information provided in this notice is complete and truthful as of the date of submission.

2. An information provided in this notice is complete and truthful as of the	e date of submission.									
 I am submitting with this notice all test data in my possession or control reasonably ascertainable by me as required by §720.50 of the Premanu 		nown to or								
Additional Certification Statements:										
If you are submitting a PMN, Intermediate PMN, Consolidated PMN, or St statement that applies:	NUN, check the following user fee ce	rtification								
☐ The Company named in Part I, Section A has remitted the fee of \$2500	specified in 40 CFR 700.45(b), or									
The Company named in Part I, Section A has remitted the fee of \$1000 700.43) in accordance with 40 CFR 700.45(b), or	for an Intermediate PMN (defined @) 40 CFR								
The Company named in Part I Section A is a small business concern under 40 CFR 700.43 and has remitted a fee of \$100 in accordance with 40 CFR 700.45(b).										
If you are submitting a low volume exemption (LVE) application in accordance with 40 0 statements:										
The manufacturer submitting this notice intends to manufacture or impurposes, other than in small quantities solely for research and develop										
The manufacturer is familiar with the terms of this section and will con	aply with those terms; and									
The new chemical substance for which the notice is submitted meets al	l applicable exemption conditions.									
☑ If this application is for an LVE in accordance with 40 CFR 723.50(c)(manufacture of the exempted substance for commercial purposes within review period.										
The accuracy of the statements you make in this notice should reflect your best prediction of the anticipal described herein. Any knowing and willful misinterpretation is subject to criminal penalty pursuant to	18 USC 1001.	Confidential								
Signature and title of Authorized Official (Original Signature Required)	Date	x								
Signature of agent - (if applicable)	Date	х								

Part I – GENERAL INFORMATION Section A – SUBMITTER IDENTIFICATION Confi-													
Section A SUBMITTER IDENTIFICATION Mark () the "Confidential" box next to any subsection you claim as confidential													
			confidential		dential								
1a. Person Submitting Notice (in U.S.)	Name of authorized official	Position			Х								
,	Company												
	Mailing address (number and street)												
	City, State, ZIP Code												
b. Agent (if applicable)	Name of authorized official	Position	Position										
	Company												
	Mailing address (number and street)												
	City, State, ZIP Code	Telephone	Area Code	Number									
c. If you are subm	itting this notice as part of a joint submission, mark (X) th	is box.											
Joint Submitter (if applicable)	Name of authorized official	Position											
	Company												
	Mailing address (number and street)												
	City, State, ZIP Code	Telephone	Telephone Area Code Number										
2. Technical Contact (in	Name of authorized official	Position	Position										
U.S.)	Company												
	Mailing address (number and street)		,,										
	City, State, ZIP Code	Telephone	Area Code	Number									
	•												
	prenotice communication (PC) concerning this notice d a PC Number to the notice, enter the number.		Mark (X)		\boxtimes								
substance covere EPA. If you pre-	submitted an exemption application for the chemical d by this notice, enter the exemption number assigned by viously submitted a PMN for this substance enter the		Mark (X) if none		\boxtimes								
5. If you have subm	itted a notice of Bona fide intent to manufacture or import substance covered by this notice, enter the notice number A.		Mark (X) if none		⊠								
6. Type of Notic	Binding Option		g Option	3.									
	Mark (X)	Mark (2	Λ)										

Part I GENERAL INFORMATION Continued	
Section B - CHEMICAL IDENTITY INFORMATION: You must provide a currently correct Chemical Abstracts (CA) name of the substa	nce based on
the ninth Collective Index (9CI) of CA nomenclature rules and conventions.	
Mark (X) the "Confidential" box next to any item you claim as confidential Complete either item 1 (Class 1 or 2 substances) or 2 (Polymers) as appropriate. Complete all other items.	
Complete cities from 1 (Class 1 of 2 strostances) of 2 (Polymers) as appropriate. Complete an other fichis.	
If another person will submit chemical identity information for you (for either Item 1 or 2), mark (X) the box at the right. Identify the name, company, and address of that person in a continuation sheet.	Confi- dential
Class 1 or 2 chemical substances (for definitions of class 1 and class 2 substances, see the Instructions Manual)	Gonda
a. Class of substance - Mark (X) 1 Class 1 or 2 Class 2	X
b. Chemical name (Currently correct Chemical Abstracts (CA) Name that is consistent with TSCA Inventory listings for similar substances.	
For Class 1 substances a CA Index Name must be provided. For Class 2 substances either a CA Index Name or CA Preferred Name must be provided, which ever is appropriate based on CA 9CI nomenclature rules and conventions).	X
c. Please identify which method you used to develop or obtain the specified chemical identity information reported in this notice: (check one).	
Method 1 (CAS Inventory Expert Service - a copy of the Identification report obtained from the CAS Inventory Expert Services must be	
submitted as an attachment to this notice) d. Molecular formula and CAS Registry Number (if a number already exists for the substance)	
u. Molecular formula and CAS Registry Number (if a number already exists for the substance)	X
CAS#	
	X
e. For a class 1 substance, provide a complete and correct chemical structure diagram. For a class 2 substance - (1) List the immediate precursor substances with their respective CAS Registry Numbers. (2) Describe the nature of the reaction or process. (3) Indicate the range of composition and the typical composition (where appropriate). (4) Provide a correct representative or partial chemical structure diagram, as complete as can be known, if one can be reasonably ascertained.	X

Part I GENERAL INFORMATION Continued											
	ection B CHEMICAL IDENTITY INFORMATION Continued										
2.	Polymers (For a definition of polymer, see the Instructions Manual.)	Confi- dential									
	a. Indicate the number-average weight of the lowest molecular weight composition of the polymer you intend to manufacture. Indicate maximum weight percent of low molecular weight species (not including residual monomers, reactants, or solvents) below 500 and below 1,000 absolute molecular weight of that composition.										
	Describe the methods of measurement or the basis for your estimates: GPC Other : (Specify) See Appendix D										
i) lowest number average molecular weight: ii) maximum weight % below 500 molecular weight: iii) maximum weight % below 1000 molecular weight:											
Mark (X) this box if you attach a continuation sheet.											
 Mark (X) this box if you attach a continuation sheet. You must make separate confidentiality claims for monomer or other reactant identity, composition information, and residual information. Mark (X) the "Confidential" box next to any item you claim as confidential (1) - Provide the specific chemical name and CAS Registry Number (if a number exists) of each monomer or other reactant used in the manufacture the polymer. (2) - Mark (X) this column if entry in column (1) is confidential. (3) - Indicate the typical weight percent of each monomer or other reactant in the polymer. (4) - Mark (X) the identity column if you want a monomer or other reactant used at two weight percent or less to be listed as part of the polymer description on the TSCA Chemical Substance Inventory. (5) - Mark (X) this column if entries in columns (3) and (4) are confidential. (6) - Indicate the maximum weight percent of each monomer or other reactant that may be present as a residual in the polymer as manufactured for commercial purposes. 											
	(7) - Mark (X) this column if entry in column (6) is confidential.										
	Monomer or other reactant and CAS Registry Number Confidential Composition Confidential Composition Mark (X) Maximum residual	dential									
	(1) (2) (3) (4) (5) (6)	(7)									
	Mark (X) this box if you attach a continuation sheet.										
	c. Please identify which method you used to develop or obtain the specified chemical identity information reported in this notice (check one).										
	Method 1 (CAS Inventory Expert Service - a copy of the identification report obtained from CAS Inventory Expert Service must be submitted as as attachment to this notice) [See Appendix C]										
	d. The currently correct Chemical Abstracts (CA) name for the polymer that is consistent with TSCA Inventory listings for similar polymers.										
	e. Provide a correct representative or partial chemical structure diagram, as complete as can be known, if one can be reasonably ascertained.										
	This Page Does Not Apply										
		·									
لـــا	Mark (X) this box if you attach a continuation sheet.										

Part I GENERAL INFORMATION C	ontinued								
Section B - CHEMICAL IDENTITY INFORMATION - Continued 3. Impurities									
 (a) - Identify each impurity that may be reasonably anticipated to be present in the chemical substar CAS Registry Number if available. If there are unidentified impurities, enter "unidentified." 		Provide the							
 (b) - Estimate the maximum weight % of each impurity. If there are unidentified impurities, estimated impurity and CAS Registry Number 	e their total weight %. Maximum	Confi-							
(a)	percent (b)	dential							
None Known	%								
	%								
	%								
	%								
	%								
	% .								
	%								
Mark (X) this box if you attach a continuation sheet.									
4. Synonyms - Enter any chemical synonyms for the new chemical identified in subsection 1 or 2.									
	t	dential X							
		^							
Mark (X) this box if you attach a continuation sheet.									
5. Trade identification - List trade names for the new chemical substance identified in subsection 1 or 2.		X							
		^							
Mark (X) this box if you attach a continuation sheet.									
 Generic chemical name - If you claim chemical identify as confidential, you must provide a generic name the specific chemical identity of the new chemical substance to the maximum of TSCA Chemical Substance Inventory, 1985 Edition, Appendix B for guidance 	extent possible. Refer to the								
Heterocyclic salt									
Mark (X) this box if you attach a continuation sheet.									
 Byproducts - Describe any byproducts resulting from the manufacture, processing, use, or disposal of th Number if available. 		Registry							
Byproduct (1)	CAS Registry Number (2)	Confi- dential							
None Known	(2)	dentiar							
Note (V) this base if any analysis of the									
Mark (X) this box if you attach a continuation sheet.									

Part	: I	GENE	RAL IN	FOR	MATI	ON -	Conti	inued				
Section C PRODUCTION, IMPOR												
Mark (X) the "Confident												
1. Production volume — Estimate the max												1
production volume for any consecutive is substance basis. For a Low Volume Exe												icai
10,000 kg/yr, specify the volume and ma									wer produ	ction void	ine man	
Maximum first 12-month produ								duction (kg/yr)	Con		nding
(100% new chemical substan	ice ba	sis)		((100% ne	w che	emical su	bstance b	asis)	dent		otion rk (x)
											1410	IK (A)
										X		
 2. Use Information — You must make sept devoted to each category, the formulation you claim as confidential. a. (1) — Describe each intended cate (2) — Mark (X) this column if entities. 	n of th	ne new sub f use of th	e new cher	nd other mical su	use inforr ubstance b	mation by func	. Mark (X	() the "Co	nfidential"			
(3) Indicate your willingness to												
(4) Estimate the percent of total								of use.				
 (5) Mark (X) this column if entr (6) Estimate the percent of the r 								sions solu	tions or ge	els as man	ufactured	for
commercial purposes at site								510113, 501 u	dons, or go	JIS GIS III GII	uractured	101
(7) Mark (X) this column if ent	y in co	olumn (6)	is confide	ntial bu	siness info	ormatio	on (CBI).					
(8) Indicate % of product volum your willingness to have the					ctors. Mar	rk mor	e than one	box if ap	propriate.	Mark (X)	to indica	te
(9) Mark (X) this column if enti					dential bus	siness	informatio	on (CBI).				
Category of use (1)	CBI	Binding Option	Produc-	CBI	% in	CBI			tance expect	ted per use		CBI
(by function and application i.e. a dispersive dye		Mark (x)	tion %		Form- ulation		Site-	Con-*	(8) Indus-	Com-	Binding	-
for finishing polyester fibers)	(2)	(3)	(4)	(5)	(6)	(7)	limited	sumer	trial	mercial	Option	(9)
Flame retardant for use in				X		X					-	(9) X
adhesives and coatings												
	-	<u></u>			<u> </u>							
												ŀ
											·	
						}						
						l —						
			%		%							<u></u>
* If you have identified a "consumer" use, please In addition include estimates of the concentration substance loses its identity in the consumer pro Mark (X) this box if you attach a continuation	on of th											
b. Generic If you claim any catego		e description	on in subsec	tion 2a	as confiden	tial, en	ter a generi	c descriptio	n of that cat	egory. Rea	d the	
use Instructions Manual	for exa	mples of ge	neric use de	escriptio	ns.							
description												
Mark (X) this box if you attach a continuation	n sheet											
3. Hazard Information — Include in the notice a		reasonable	facsimile o	of any ha	zard warnii	ng state	ment, label	l, material s	afety data sl	heet, or oth		ding
information which will be provided to any person	on who	is reasonab	ly likely to	be expos	sed to this s	substan	ce regardin	g protective			. Op	tion k (x)
for the safe handing, transport, use, or disposal	of the n	ew substan	ce. List in p	part III b	azard infor	mation	you includ	e.				
Mark (X) this box if you attach hazard inform	nation	SEE ADDE	NDIX D									
Z Amer (2) and ove it you attach hazait intolli	ALLIUII.	ODD ALKE										

	<u>I HUMAN EXPOSURE</u>			
	SITES CONTROLLED BY TH		Mark (X) the "Confidential" box next claim as confidential	
control. Importers do not have to there are further industrial proces	e of manufacture, processing, or use complete this section for operation ssing or use operations after import.	ns outside the U.S.; however, y	ou may still have reporting require	rements if
Operation description a. Identity Enter the ident	tity of the site at which the operation	on will occur.		Confi- dential
Name				X
Site address (numi	ber and street)			
	,			
City, County, State	e, ZIP code			
additional sites on a continuation	r at more than one site, enter the num on sheet, and if any of the sites have include all the information requeste	e significantly different		
Mark (X) this box if you a	attach a continuation sheet.			
b. Type Mark (X)	Manufacturing	Processing	Use	
c. Amount and Duration	on Complete 1 or 2 as appropriate Maximum kg/batch (100% new chemical	e Hours/batch	Batches/year	
1. Batch	substance)	Hours oaton	Datches/year	
	Maximum kg/batch (100% new chemical substance)	Hours/batch	Batches/year	
d. Process description Mark	(X) to indicate your willingness to have			X
drum, rail car, tank truck, etc (2) Provide the identity, the app feedstocks (including reactar used daily or per batch.).	ration steps and chemical conversions. Ic.). To a conversion of the conversion of t	h on a 100% new chemical substan- products, recycle streams, and wast	ce basis), and entry point of all starting	g materials and
Mark (Y) this how if you attach a	continuation sheet			

Part II	HIIMAN EXPOSIDE	AND ENVIRONMENTAL	. PELFASE	Continued
гиг		A 1 1 1 1 1 1 1 1 1	,	

Section A -- INDUSTRIAL SITES CONTROLLED BY THE SUBMITTER -- Continued

- 2. Occupational Exposure You must make separate confidentiality claims for the description of worker activity, physical form of the new chemical substance, number of works exposed, and duration of activity. Mark (X) the "Confidential" box next to any item you claim as confidential.
 - Describe the activities (i.e. bag dumping, tote filling, unloading drums, sampling, cleaning, etc.) in which workers may be exposed to the substance.
 - (2) Mark (X) this column if entry in column (1) is confidential business information (CBI).
 - (3) -- Describe any protective equipment and engineering controls used to protect workers.
 - (4) and (6) -- Indicate your willingness to have the information provided in column (3) or (5) binding.
 - (5) -- Indicate the physical form(s) of the new chemical substance (e.g., solid: crystal, granule, powder, or dust) and % new chemical substance (if part of a mixture) at the time of exposure.
 - (7) -- Mark (X) this column if entry in column (5) is confidential business information (CBI).
 - (8) Estimate the maximum number of workers involved in each activity for all sites combined.
 - (9) -- Mark (X) this column if entry in column (8) is confidential business information (CBI).
 - (10) and (11) Estimate the maximum duration of the activity for any worker in hours per day and days per year.

(12) - Mark (X) this column if entries in columns (10) and (11) are confidential business information (CBI).

Worker activity	CBI Protective Equipment/		Binding	Physical forms(s)		CBI	# of	CBI	Maximu m	u duration (CBI
(i.e., bag dumping, filling drums)		Engineering Controls	Option Mark (x)	and % new substance	Option Mark (x)		Workers		Hrs/day	Days/yr	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	Exposed (8)	(9)	(10)	(11)	(12)
										- ,	
											\vdash
											L

Mark (X) this box if you attach a continuation sheet.

- 3. Environmental Release and Disposal -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
 - Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
 - (2) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
 - (3) -- Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
 - (4) Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
 - (5) -a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
 - (6) -- Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).

(7) - Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release	Amount of ne		CBI	Media of	Control technology and efficiency (you may wish to optionally attach efficiency data)						
Number	relea			release		т		_			
(1)	(2a)	(2b)	(3)	e.g. stack air (4)	(5a)	Binding Mark (X)	(5b)	(6)			
					This page does not apply.						
(7) Mark ((X) the	POTW provide	name(s	s) below:	CBI Navigable Other - Specify		provide NPDES #	CBI			
destination(s) of releases to water. POTW provide name(s) below:					waterway N/A						
Marl	(X) this box if yo	ou attach a conti	inuation	n sheet.							

		Par	t II H	UMAN	EX	POSURE AND ENVI	RONM	EN	ΓAL RI	ELEAS	Е C	onti	nued	
Sect	ion B]	INDU	JSTRIAL	SITES	CON	TROLLED BY OTHERS	5							
Com section section	plete section on for opera on B for eac	n B for tions o th type	typical produtside the U	essing or use of	use ope ver, you operation	rations involving the new chemica must report any processing or use on involving the new chemical sub ditional sites on a continuation she	al substance e activities stance. If t	after in	nport. See t	he Instruct	ions Manu	ıal. Co	omplete a separate	
1. (d d (p	Operation 1) Diagra rums, rail c by kg/day o roducts, rec ncluding sm	Descrium the mars, tars,	iption To major unit on the trucks, et atch, on an 1 reams, and	peration st c). On the 00% new o wastes. In releases, to	ormati eps and diagra chemic clude c	on in this section as confidential of chemical conversions, including m, identify by letter and briefly de al substance basis), and entry point leaning chemicals (note frequency evironment of the new chemical su	l, circle or interim stor scribe each at of all feed if not used	rage an worke Istocks I daily o	d transport r activity. ((including to or per batch	containers 2) Providence Processes of the containers of the co	(specify - de the ider olvents an entify by r	e.g. 5 ntity, t id cata number to ide	gallon pails, 55 gall he approximate wei llysts, etc) and all or the points of relea	lon ight ise,
			if you attac			heet.								
() () () () () () () ()	1) From tl 2) Estima 4) Estima 6) Descrit protect 7) Estima 9) From tl 9) Estima 2) Descrit (specifi	te the rate the the the physical worker the process the individual of the process the process that the process the process the process that the process the process that the pro	number of w ypical durat cical form of rs. percent of the ess diagram amount of ti dia of releas control tech oducts whice	provide the orkers exp ion of exposure e new substance in above, en he new substance i.e. stack nology, if a ch may rest	e letter osed for osure p and % stance a ter the ostance air, fug any, tha ult from	for each worker activity. Comple or all sites combined. er worker in (a) hours per day and new chemical substance (if in mix as formulated when packaged or unumber of each release point. Correleased (a) directly to the environgitive air (optional-see Instructional will be used to limit the release in the operation.	(b) days petture), and a sed as a finamplete 9-13 mment or (b s Manual), so f the new s	er year. any production of the second of th	uct. ch release p control techr water, on-s ace to the en	pment and oint identification of the original oite or off-sivironment.	engineerin fied. ne environ ite land on	ment ((in kg/day or kg/bat	ch).
						column if any of the proceeding er								
Letter of Act- ivity	# of Workers Exposed	CBI	Dura o: Expo	f sure	CBI	Protective Equip. / Engineering Controls/ Physical Form and % new substance	% in Form- ulation	CBI	Release Number	Ne Subst Rele	ance ased	CBI	Media of Release & Control Technology	CBI
(1)	(2)	(3)	(4a)	(4b)	(5)	(6)	(7)	(8)	(9)	(10a)	(10b)	(11)	(12)	(13)

(-	(3), (5), (8), (11), (13) and (15) Mark (X) this column if any of the proceeding entries are confidential business information (CBI).													
Letter of Act- ivity	# of Workers Exposed	CBI		ation of osure	CBI	Protective Equip. / Engineering Controls/ Physical Form and % new substance	% in Form- ulation	СВІ	Release Number	No Subs	unt of ew tance ased	CBI	Media of Release & Control Technology	СВІ
(1)	(2)	(3)	(4a)	(4b)	(5)	(6)	(7)	(8)	(9)	(10a)	(10b)	(11)	(12)	(13)
		Х			Х			Х						
		Х			Х			Х						
		Х			Х			Х						
		Х			Х			Х						
		Х			Х			Х						Х

(14) -- Byproducts:

Mark (X) this box if you attach a continuation sheet,

OPTIONAL	POLL	IITION P	PREVENTI	ON IN	TEORM	ATION
OI LIONAL						AIIVI

To claim information in this section as confidential circle or bracket the specific information that you claim as confidential.

In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, raw materials substitution, and/or inventory control. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction subsequent to compliance with existing regulatory requirements and can be either quantitative or qualitative. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other environmental media or non-environmental areas (e.g., occupational or consumer exposure). In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

All information provided in this section will be taken into consideration during the review of this substance. See Instructions Manual and Pollution Prevention Guidance manual for guidance and examples.

Describe the expected net benefits, such as (1) an overall reduction in risk to human health or the environment; (2) a reduction in the volume manufactured; (3) a reduction in the generation of waste materials through recycling, source reduction or other means; (4) a reduction in potential toxicity or human exposure and/or environmental release; (5) an increase in product performance, a decrease in the cost of production and/or improved operation efficiency of the new chemical substance in comparison to existing chemical substances used in similar application; or (6) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

substances used in similar application; or (6) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.					
No Information is being supplied at this time.					
Mark (X) this box if you attach a continuation sheet.					
CDA FORM 2210 25 (D 5 05)	Days 11				

Part III -- LIST OF ATTACHMENTS

Attach continuation sheets for sections of the form and test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of the attachments. In the column below, enter the inclusive page numbers of each attachment.

Mark (X) the "Confidential" box next to any attachment name you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the notice form a sanitized version of any attachment in which you claim information as confidential.

Attachment name	Attachment page number(s)	Confi- dential
		Х
		Х
		Х
Appendix C: Continued – Description of Adhesive Manufacturing	A5-A6	
		Х
		Х
		Х
		Х
		Х
Mark (X) this box if you attach a continuation sheet. Enter the attachment name and number.		

PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET

To assist EPA's review of physical and chemical properties data, please complete the following worksheet for data you provide and include it in the notice. Identify the property measured, the page of the notice on which the property appears, the value of the property, the units in which the property is measured (as necessary), and whether or not the property is claimed as confidential. The physical state of the neat substance should be provided. These measured properties should be for the neat (100% pure) chemical substance. Properties that are measured for mixtures or formulations should be so noted (% PMN substance in ___). You are not required to submit this worksheet; however, EPA strongly recommends that you do so, as it will simplify review and ensure that confidential information is properly protected. You should submit this worksheet as a supplement to your submission of test data. This worksheet is not a substitute for submission of test data.


Property	Mark	Page	Value	Measured or	Confi- dential
(a)	(X) if provided	number (b)	(c)	Estimate	Mark (X) (d)
	┼	()		(M or E)	X
Physical state of neat substance			_(s)(l)(g)	ļ	
Vapor pressure @ Temperature°C			Not determined		
Density/relative density					X
Solubility @ Temperature°C Solvent Solvent			Not Determined		
Solubility in water @ Temperature°C					X
Melting temperature (by DSC)					X
Boiling / sublimation temperature@mmHg pressure			Not determined		
Spectra (IR, X-Ray)					X
Dissociation constant			Not determined		
Particle size distribution					X
Octanol / water partition coefficient			Not determined		:
Henry's Law constant			Not determined		
Volitalization from water			Not determined		
Volitalization from soil			Not determined		
pH@ concentration					Х
Flammability					Х
Explodability					X
Adsorption / coefficient			Not determined		
Other - Specify					
	<u></u>				L

Pages A1 through A2 have been Omitted from this Sanitized Copy as the Information is Considered Confidential Business Information.

Description of Adhesive Tape Manufacturing

The use of adhesive tapes can be found in many industries, such as labeling, packaging, automotive, aerospace, etc. Adhesive tapes consist of a backing to which an adhesive substance is affixed for the purpose of joining materials with a surface bond. There is typically a film that provides the backing for adherends that create the "stickiness" of the tape. The adherend is typically made up of acrylic resins and petroleum byproducts that are broken down before being fused into a polymer compound. This compound is then mixed with a solvent, creating an aqueous emulsion (solutions in which the microscopic resin particles are held suspended) that is applied to the backing. The side that won't receive an adhesive coating is treated with a release agent that enables the tape to be wound and unwound without sticking together. After the two materials are combined, the final product is cut for consumer/industrial use, inspected, packaged, and shipped.

There are different types of adhesive tapes, such as pressure sensitive tapes which adhere when a slight pressure is applied and adhesive tapes that are activated by heat or water.



The Manufacturing Process

The tapes are created first by producing a film that is then wound on large spools and loaded into a machine that applies the adhesive. The machine uses a series of rollers, much like a printing press. After the adhesive is applied, the film is heated and dried and then cut into the appropriate size and packaged.

Making the adhesive

Modern adhesives are inherently sticky and so require no additional tackifying agents.
Such polymers are then mixed with a solvent that catalyzes their polymerization, the
process by which they combine to form a complex molecular chain made up of repeating
structural sequences. The resulting adhesomer may be used in this form or redissolved
with more coating solvents, depending on its intended application. It is then stored until
needed.

Combining film and adhesive

• First, the non-adhesive side of the backing is treated with a release agent that makes the tape easy to unwind. Before the adhesive is applied to the sticky side, the side may be treated with a primer to anchor the adhesive. This coating is applied by routing the film over a large roller that rotates in an open vat of primer. As the tape moves over the roller, it applies the primer. Once these surface coats have been applied, the tape travels over heated drums (known as hot cans) that dry it. A very thin layer of adhesive is metered onto the primed side of the tape, which is then rolled into long ovens for high-temperature drying.

Rolling, cutting, and packaging the tape

• Once dried, the tape is wound onto large jumbo rolls and routed over slicers that divide it into varying widths. The tape rolls are cut to fit varying customer needs.

Pages A5 through A15 have been Omitted from this Sanitized Copy as the Information is Considered Confidential Business Information.

Focus Report
New Chemicals Program
PMN Number: L-10-0078

Focus Date: Consolidated Set:	12/28/2009 12:00:00 AM	Report Sta	tus: Comp	pleted
Focus Chair:	Audrey Binder	Contractor	: Paul	Sohi
I. Notice Information	<u>n</u>			
Submitter: Chemical Name:		CAS Num	ber:	
Use:	Flame retardant for use in adhesives	and coatings.		
		<i>-</i>		
PV-Max:	Kg/yr	Binding O		
Manufacture: II. SAT Results		Import:	X	
(1) Health Rating: 2-3	Eco Rating:	2	Comments:	;chronic concern for algae only
(1) House Rusing. 20	Det Rung.	_	Comments.	,emonie concern for argue omj
Occupational: 2-3B	Non-Occupational:		Environmental:	1
(1) DD (1) 2	•			
(1) PBT: 3 1 (2) PBT: 2 1	2 2	Comments: Anion Comments: Cation		
III. OTHER FACTO		Comments: Cation		
Categories:	<u> </u>			
Health Chemical Category:		Ecotox Category:		
Related Cases/Regulatory Health related Cases:	History:			
Hearth Telated Cases.				
Ecotox Related Cases:	Analogs:			
Regulatory History:				
Regulatory History.	- Focus Drop			
	- GRANTED WIT	TH CONDITION		
	- FOCUS DROP FOCUS DROP			
	- DIV DIR BRF DROP EX	POSURE-BASED		
	- N/A			
	- FOCUS DROP WITHDRAWN/FACE 5E	7		
	- GRANTED	_		
•				
MSDS/Label Information				
	Yes	Label: No		
				•

Exposure Based Review (Health): N


Exposure Based Information: Exposure Based Review: N

IV. Summary of SAT Assessment

Fate:

Fate Summary: L-10-0078

The EPI estimations for the individual ions may not be representative of the behavior of the parent salt.



Time for complete ultimate aerobic biodeg = Anion > mo; Cation wk-mo

Sorption to soils/sediments = Anion low; Cation low

PBT Potential: Anion P3B1; Cation P2B1

*CEB FATE: Migration to ground water = Anion rapid; Cation rapid

Health:

Health Summary:

Not absorbed from the skin, absorbed from the lung (pchem), absorbed from the GI tract (analog). Concerns for the are neurotoxicity (convulsions induced by touch in rats in an acute study, LD50 = 4498 mg/kg (); uncertain concern for oncogenicity and effects on the kidney at high doses (); mutagenicity; and developmental toxicity. Concerns for the are developmental toxicity, neurotoxicity, and male reproductive toxicity d based on a study in dogs with a NOAEL of 8.8 mg //d; 38-week LOAEL = 29 mg //kg/d with severe testicular atrophy and spermatogenic arrest. Moderate high concern.

Test Data:

rat 28-day oral NOEL = 125 mg/kg, LOEL = 375 mg/kg, indications of kidney toxicity rat dietary 1-generation reproductive toxicity study NOAEL = 1600 ppm (191 - 341 mg/kg)

] - rat oral LD50 = 4498 mg/kg with signs of neurotoxicity

] - positive in male rats, urinary bladder tumors associated with bladder stones, negative in female rats and male and female mice

Ecotox:

Ecotox Values:

Fish 96-h LC50: >100(P)
Daphnid 48-h LC50: >100(P)
Green algal 96-h EC50: >100(P)
Fish Chronic Value: >01(P)
Daphnid ChV: >10(P)
Algal ChV: 3.0(P)

Ecotox values comments: Predictions are based on SARs for , SAR chemical

class =

Ecotox Factors:

Assessment Factor: 10 Concern Concentration: 300

V. Summary of Exposures/Releases Engineering Summary: L-10-0078

Exposures/Releases	Release	Release	Exposure
Scenario	Use: Adhesive Tape Manufacturing	Use: Adhesive Tape Manufacturing	Use: Adhesive Tape Manufacturing
Sites			
Media			Inhalation
Descriptor A	Output 2	Conservative	Upper Bound
Quantity A (kg/site/day)			
Frequency A (day/year)			
Descriptor B			
Quantity B (kg/site/day)			
Frequency B (day/year)			
From			
Workers			
Exposure Type			

VI. Focus Decision and Rationale

Regulatory Actions

Regulatory Decision: LVE Grant Decision Date: 12/28/2009

Type of Decision:

Rationale: L-10-0078 was granted. Although human health concerns were moderate-high

overall concerns were low due to the use of adequate PPE and no dermal exposures expected. Ecotoxicity concerns were moder<u>ate and potential risks</u> to

the environment were low due to no releases to water.

Summary of Exposures and Releases: Use: Adhesive Tape Manufacturing

Dermal: Not required, per SAT.

•

LADDpot (mg/kg/day): 1.53E-05 LADCpot (mg/L): 7.85E-04

P2 Rec Comments:

Testing:

Final Recommended:

Health:

Eco:

Fate:

Other:

04/15/2015 01:05:54 PM

SAT Report

PMN Number: L-10-0078 SAT Date: 12/15/2009 Print Date: 4/15/2015

Related cases:

Health related cases:

Ecotox related cases: Analogs:

Concern levels:

Type of Concern: <u>Health</u> <u>Eco</u> <u>Comments</u>

Level of Concern: 2-3 2 Health: ; Eco: chronic concern for algae only

Persistence	Bioaccum	Toxicity	Comments	
3	1	2		Anion
2	1	2		Cation
		Awaiting		
		Human Health		
		Entry		
		Awaiting		
		Human Health		
		Entry		
		Awaiting		
		Human Health		
		Entry		

Exposure Based Review:

Health: No **Ecotox:** No

Routes of exposure: Health: Drinking Water Inhalation

Ecotox: All releases to water

Fate: ; Anion rapid; Cation rapid

Keywords:


Keywords:

Summary of Assessment:

Fate:

Fate Summary: L-10-0078

The EPI estimations for the individual ions may not be representative of the behavior of the



 $\overline{\text{POTW removal}}$ (%) = Anion 0; Cation 0

Time for complete ultimate aerobic biodeg = Anion > mo; Cation wk-mo

Sorption to soils/sediments = Anion low; Cation low

PBT Potential: Anion P3B1; Cation P2B1

*CEB FATE: Migration to ground water = Anion rapid; Cation rapid

Health:

Health Summary: Not absorbed from the skin, absorbed from the lung (pchem), absorbed from the GI tract (analog). Concerns for the neurotoxicity (convulsions induced by touch in rats in an acute $\overline{\text{study}}$, $\overline{\text{LD50}} = 4498 \,\text{mg/kg}$); uncertain concern for oncogenicity and effects on the kidney at high doses (); mutagenicity; and developmental toxicity. Concerns for the are developmental toxicity, neurotoxicity, and male reproductive toxicity \overline{IRIS} RfD = 0.2 mg /kg/d based on a study in dogs with a NOAEL of 8.8 mg /kg/d; 38-week LOAEL = 29 mg /kg/d with severe testicular atrophy and spermatogenic arrest. Moderate high concern. **Test Data:**] - negative in Salmonella with and without activation negative in an oral mouse micronucleus assay rat 28-day oral NOEL = 125 mg/kg, LOEL = 375 mg/kg, indications of kidney toxicity rat dietary 1-generation reproductive toxicity study NOAEL = 1600 ppm (191 - 341 mg/kg)] - rat oral LD50 = 4498 mg/kg with signs of neurotoxicity] - positive in male rats, urinary bladder tumors associated with bladder stones, negative in female rats and male and female mice

Ecotox:

Test Organism	Test	Test End	Predicted	Measured	Comments

	Type	Point		
fish	96-h	LC50	>100	
daphnid	48-h	LC50	>100	
green algal	96-h	EC50	>100	
fish	_	chronic value	>01	
daphnid	_	chronic	>10	
		value		
algal	_	chronic	3.0	
		value		
Sewage Sludge	3-h	EC50	_	
Sewage Sludge	_	Chronic	_	
		Value		

Ecotox Values Comments:

Factors	Values	Comments
Assessment Factor	10	
Concentration of Concern	300	
(ppb)		
SARs		
SAR Class		
Ecotox Category		

Ecotox Factors Comments:

SAT Chair: Becky Jones

1

L-10-0078	ENGINEERING REPO	ORT	
Focus Ready Draft 12/21	1/2009		
ENGINEER: Arnold \ I PV (kg/yr):	DDH		
Revision Notes/Assessm	nent Overview:		
SUBMITTER:)		
USE: Flame retardant fo	or use in adhesives and coatings	s. Analog	·
OTHER USES:			
MSDS: Yes		LABEL: No	•
CRSS: (12/14/2009):			
Chemical Name:			
Consumer Use:			
SAT (concerns): (12/15	/2009):		

Migration to groundwater:

PBT rating: P3 **B**1 **T**2 anion P3B1T2; cation P2B1T2

Health: 2-3, Drinking Water, Inhalation

Eco: 2, Water (All releases to water with a CC = 300 ppb)

OCCUPATIONAL EXPOSURE RATING: 2-3B

NOTES & KEY ASSUMPTIONS:

Generated by the 06/07/2005	5 version of ChemSTEER.	The submitter was co	ontacted for	
see contact report	t. The LVE is		. Therefore, all assessme	ents were
made . The I	LVE is imported; MFG is no	ot assessed. After im	port, the PMN is sold to o	customer sites
where it is directly		This IRER a	ssesses releases	
		per submission	on. There is potential inha	alation
exposure to				
		g. Assessme	ent of dermal exposure is	not required
by SAT.	, same use past case,	was referenced.	The assessments for this	s IRER are
consistent with those for	. Similar use past ca	ses referenced for cor	nsistency include	
MFG ar		sed releases and expos	sures	
	assessed inhalation	exposure		
assessed releases				
	essed dermal exposure to P	MN; dermal exposure	e is not required for	and
(consistent with the	ns IRER).			

POLLUTION PREVENTION CONSIDERATIONS:

None.

P2 REC:

EXPOSURE-BASED REVIEW: No (0 criteria met)


L-10-0078

Use: Adhesive Tape Manufacturing Number of Sites/Location: submitter site(s) unknown sites



ENVIRONMENTAL RELEASES ESTIMATE SUMMARY

IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources to the same medium. Water - not expected.



RELEASE TOTAL

kg/yr - all sites

OCCUPATIONAL EXPOSURES ESTIMATE SUMMARY

Tot. # of workers exposed via assessed routes: Basis:

Inhalation:

Exposure to

Upper Bound: mg/day over days/yr

Number of workers (all sites) with Inhalation exposure:

Basis: ; OSHA PNOR PEL-Limiting Model.

INHALATION MONITORING DATA REVIEW

- 1) Uncertainty (estimate based on model, regulatory limit, or data not specific to industry): Yes
- 2) (a) Exposure level > 1 mg/day? Yes
 - (b) Hazard Rating for health of 2 or greater? Yes

Inhalation Monitoring Data Desired? Yes (both criteria met)

December 18, 2009 Page of

INITIAL REVIEW EXPOSURE REPORT (IREXR)

Chemical ID: L100078 Reviewer: Sherer

Results Table: Dose, Concentration, and Days Exceeded Results Summary

Exposure Scenario ¹	Water					Landfill	Stack	k Air	Fugiti	ve Air	
Release activity(ies) ² ;	Drinkin	g Water	Fish In	gestion	7Q10 ⁴	PDM					
exposure calculation(s) ³	ADR	LADD	ADR	LADD	CC=?	Days Exceeded	LADD	ADR	LADD	ADR	LADD
	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day	μg/l	# Days	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day
Use: max LADD							1.53E-05				

¹ Exposure scenario titles consist of release activity followed by exposure calculation abbreviation.

Multiple release activities are combined in one exposure scenario if their releases occur at same location.

² Release activities are from engineering report's Manufacturing (Mfg), Processing (Proc) and Use release activity labels.

³ Exposure calculations are Acute Dose Rate (ADR), Lifetime Average Daily Dose (LADD), and Probabilistic Dilution Model (PDM). There may be one, two, or all three exposure calculations per exposure scenario. CC is the aquatic concentration of concern.

⁴ This column displays concentration values for the 7Q10 streamflow, which is defined as the average streamflow of the 7 consecutive days of lowest flow within a 10 year period.

December 18, 2009 Page of

INITIAL REVIEW EXPOSURE REPORT

Chemical ID: L100078 Assessor: Sherer

	ENV	/IRONMENTAL RELEASES		
Scenario#:1		Number of Release Sites	S:	
Release Activity:	Use: max LADD			
Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:				
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
		Non-sludge/Sludge		
Release Days/yr:				
Per Site Release:				
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

December 18, 2009 Page of

INITIAL EXPOSURE REVIEW REPORT

Chemical ID: L100078

DRINKING WATER EXPOSURE ESTIMATES FROM LANDFILL RELEASES

SCENARIO #: 1 ACTIVITY: Use: max LADD

RELEASE DESCRIPTION:

EXPOSED POPULATION: Adult

NUMBER OF SITES	NON-SLUDGE LANDFILL RELEASE AND DAYS OF RELEASE (kg/site/day)/(days)	LANDFILLED SLUDGE ¹ AND DAYS OF RELEASE (kg/site/day)/(days)	MIGRATION DESCRIPTOR ²	ADSORPTION TO WASTEWATER SLUDGE (%)	DRINKING WATER TREATMENT (%)
			Rapid	0.00	0.00

Landfilled sludge equals the fraction adsorbed to wastewater treatment sludge times the surface water pre-treatment release.

Log Koc	Groundwater Concentration (GWC)
	(mg/L per kg release)
no migration	None
> 4.5	3.21E-6
<4.5 to 3.5	2.67E-5
<3.5 to 2.5	5.95E-5
	no migration > 4.5 < 4.5 to 3.5

< 2.5

			ASSUM	ASSUMPTIONS				
Exposure Units	Results	ED (years)		BW (kg)	IR (L/day)			
Cancer								
LADD _{pot} (mg/kg/day)	1.53E-05	30.00	75.00	71.80	1.40			
LADC _{not} (mg/L)	7.85E-04	30.00	75.00	NA	NA			

7.55E-5

REMARKS:

Rapid